


# DIN RAIL MOUNT DC POWER SUPPLY

Regulated 1 A, 24 VDC Output



The **Model SCD-PS DIN Rail Mount DC Power Supply** is a compact and economical solution for providing DC power to any Dwyer pressure, humidity, temperature, level or air velocity transmitters. Input voltage can range from 100-240 VAC, 50/60 Hz without any jumpers or dip switch selections. A plastic cover slides over the terminals in order to prevent shock from accidental touching of high voltage wires.

### BENEFITS/FEATURES

- DIN rail mount
- Universal supply voltage input

### APPLICATIONS

- BAS
- HVAC

### SPECIFICATIONS

<p><b>AC Input:</b> 100-240 VAC, 50/60 Hz.</p> <p><b>DC Output:</b> 24 VDC (<math>\pm 3\%</math> VDC).</p> <p><b>Maximum Current Output:</b> 1 A.</p> <p><b>Noise:</b> Under 100 mVp-p typical at full load.</p>	<p><b>Temperature Limits:</b> 32 to 131°F (0 to 55°C).</p> <p><b>Weight:</b> 5.6 oz (158 g).</p> <p><b>Compliance:</b> CE, cULus.</p>
--	---

### MODEL CHART

Model	Description
SCD-PS	DIN rail DC power supply